




GE
Lighting



440
kWh/1000h

A+
energy class

100
lumens/watt

Multi-Vapor™ Elliptical Clear

SMVR400/U/40

43907

Product information

High brightness, high quality white light with excellent colour rendition and energy efficiency makes GE Multi-Vapor™ Metal Halide lamps particularly suitable for commercial and industrial interiors, particularly in high ceiling areas.

Application areas

- Road and tunnel
- Street and pedestrian
- Commercial areas



Product data

Product Code	43907
Bulb Shape	Elliptical
Bulb Finish	Clear
Regulatory comment	Product only available outside the EU.
Maximum Overall Length [mm]	292
Light Center Length [mm]	177.8
Net weight per piece [g]	239
Gross weight per piece [g]	332
Operating position	U - Universal
Mercury Content [mg]	63
UV radiance	Exempt
Brand	General Electric (GE)
Cap/Base	E40

Performance data

Colour Code	640
Rated Lumens [lm]	39600
Weighted energy consumption [kWh/1000h]	440
Nominal efficacy [LpW]	100
Rated efficacy [LpW]	99
Energy efficiency class (EEC)	A+
Nominal correlated colour temperature (CCT) [K]	4000
Nominal lumens [lm]	40000
Colour Rendering Index (CRI) [Ra]	65


Electrical data

Rated power [W]	400.0
Lamp Current [A]	3.2
Design Ambient Temperature [°C]	25
Run-up time (sec)	180
Hot restart time (sec)	600
Ballast Required	Yes
Nominal power [W]	400
Nominal lamp voltage [V]	135


Logistic data

DUN Code	00043168439077
EAN Code	0043168439077
Pack Quantity	6
Layer quantity	1 UK
Layer quantity UK	1
Pallet quantity UK (PC)	288
Outer case size	380 x 258 x 305 (mm)
Product status	Phased-out

Lumen maintenance data



Survival data



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[HID Lamps Spectrum Catalogue \(EN\) \(PDF\)](#)

[Multi-Vapor™ Data sheet \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)