



# GE Lighting



2067  
kWh/1000h

C  
energy class

27  
lumens/watt

## Single Ended Halogen

CP41 FKK 240V

# 88488

### Product information

Quartzline® lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W  
-Range of bases to meet the needs of OEMs -  
Chromised seal protection up to 500° C.

### Application areas

- Film and Broadcast
- Theatre

ENERGY LABEL

Y IJA  
IE IA

енергия · ενέργεια

GE Lighting 88488  
CP41 FKK 240V

A++  
A+  
A  
B  
C  
D  
E

**C**

2067 kWh/1000h



## Product data

Cap/Base	G38
Bulb Shape	Tubular
Bulb Diameter [mm]	31
Maximum Overall Length [mm]	216
Light Center Length [mm]	127
Net weight per piece [g]	228
Gross weight per piece [g]	436
Brand	General Electric (GE)

## Performance data

Colour Rendering Index (CRI) [Ra]	100
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	54000
Energy efficiency class (EEC)	C
Rated Life [h]	400
Weighted energy consumption [kWh/1000h]	2066.9

## Electrical data

Nominal power [W]	2000
Nominal lamp voltage [V]	240
Coil type	C-13
Dimming Capability	Yes
Ballast Required	No

## Logistic data

DUN Code	10043168884881
EAN Code	0043168884884
Pack Quantity	12
Layer quantity	24 EUR. 48 UK
Layer quantity EUR	24
Layer quantity UK	48
Pallet quantity EUR (PC)	72
Pallet quantity UK (PC)	144
Outer case size	590 x 420 x 360 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination